8500211

THE CANIMED SHAVIES OF ANTERICA

TO ALL TO WHOM THESE PRESENTS SHALL COME;

Dairyland Seed Co., Inc.

Willierens, there has been presented to the

Secretary of Agriculture

AN APPLICATION REQUESTING A CERTIFICATE OF PROTECTION FOR AN ALLEGED NOVEL VARIETY OF SEXUALLY REPRODUCED PLANT, THE NAME AND DESCRIPTION OF WHICH ARE CONTAINED IN THE APPLICATION AND EXHIBITS, A COPY OF WHICH IS HEREUNTO ANNEXED AND MADE A PART HEREOF, AND THE VARIOUS REQUIREMENTS OF LAW IN SUCH CASES MADE AND PROVIDED HAVE BEEN COMPLIED WITH, AND THE TITLE THERETO IS, FROM THE RECORDS OF THE PLANT VARIETY PROTECTION OFFICE, IN THE APPLICANT(S) INDICATED IN THE SAID COPY, AND WHEREAS, UPON DUE EXAMINATION MADE, THE SAID APPLICANT(S) IS (ARE) ADJUDGED TO BE ENTITLED TO A CERTIFICATE OF PLANT VARIETY PROTECTION UNDER THE LAW.

NOW, THEREFORE, THIS CERTIFICATE OF PLANT VARIETY PROTECTION IS TO GRANT UNTO THE SAID APPLICANT(S) AND THE SUCCESSORS, HEIRS OR ASSIGNS OF THE SAID APPLICANT(S) FOR THE TERM OF eighteen years from the date of this grant, subject to the payment of the required fees and periodic replenishment of viable basic seed of the variety in a public repository as provided by LAW, the right to exclude others from selling the variety, or offering it for sale, or reproducing it, importing it, or exporting it, or using it in producing a hybrid or different tety therefrom, to the extent provided by the Plant Variety Protection Act 1. 1542, as amended, 7 u.s.c. 2321 et seq.)

SOYBEAN

'DSR-317'

In Eastimony Entercot, I have hereunto set my hand and caused the seal of the Plant Variety Protection Office to be affixed at the City of Washington, D. C. this 30th day of January in the year of our Lord one thousand nine hundred and eighty-seven.

dure

Lexalth Grans Commissioner Plant Variety Protection Office

Plant Variety Grotection Office Agricultural Marketing Service Jula of Agriculture

IIS DEPARTME	NT OF AGRICULTU	IRF			APPROVED	: OMB NO. 0581-0055		
	MARKETING SERV		i	Application is required in order to determine if a plant variety protection certificate is to be issued (7 U.S.C. 2421). Information is				
APPLICATION FOR PLANT VAI	RIETY PROTE(CTION CERTI	FICATE	held t	onfidential ur	2421). Information is ntil certificate is issued		
1. NAME OF APPLICANT(S)		2. TEMPORARY	DESIGNATION	3. VA	RIETYNAM	E		
Dairyland Seed Company, In	nc.	27348		DS	S plant variety protection issued (7 U.S.C. 2421) Indic confidential until ce U.S.C. 2426). VARIETY NAME DSR-317 FOR OFFICIAL US VPO NUMBER 8500211 DATE 9/16/85 TIME 2:00 AMOUNT FOR FI \$ 1,800 DATE 8/1/85 AMOUNT FOR CE \$ 200. ATE OATE OATE 1/6/8 2. DATE OF INCORPO Dec. 19, TION AND RECEIVE A code): 414-338 cetton Act.) ONLY AS A CLASS OF PRO Pers 16 and 17 below) HICH CLASSES OF PRO OTHER COUNTRIES? Yes // X No OTHER COUNTRIES? Yes // X No OTHER COUNTRIES? Yes // ANO OTHER COUNTRIES? Yes // ANO OTHER COUNTRIES? Yes // ANO OTHER COUNTRIES?			
4. ADDRESS (Street and No. or R.F.D. No., City,	State, and Zip Code)	5. PHONE (Includ	le area code)			AL USE ONLY		
3570 Hwy. H, P. O. Box 958			01.60	•				
West Bend, WI 53095		414-338	-0163		8500ZII			
6. GENUS AND SPECIES NAME	7. FAMILY NA	ME (Botanical)		ڻ	-			
Glycine max	Legu	minosae		FILIN	7:ME 2:00			
8. KIND NAME	9.	DATE OF DETER	MINATION			OR FILING		
Soybean		Jan. 21	, 1985	CEIVED	8/1/85			
10. IF THE APPLICANT NAMED IS NOT A "PER	SON," GIVE FORM	OF ORGANIZATI	ON (Corporation,	<u>~</u>				
partnership, association, etc.) Corporation				FE	ORM APPROVED: O poplication is required is a plant variety protect is plant variety protect in plant variety protect is plant variety protect in plant variety protect in plant variety protect in plant variety protect in penalties. ONLY AS A CLASS OF Poplication variety protect in penalties.			
Corporation				<u> </u>		87		
11. IF INCORPORATED, GIVE STATE OF INCO	RPORATION			12. (12. DATE OF INCORPORATION Dec. 19, 1963			
13. NAME AND ADDRESS OF APPLICANT REP	RESENTATIVE(S),	IF ANY, TO SERV	IN THIS APPLIC	ATIO	N AND RECE	IVE ALL PAPERS		
Mr. Thomas G. Strachota,								
3570 Hwy. H, P.O. Box 958					* 1			
West Bend, WI 53095		P	HONE (Include are	ea code	;): 414·	-338-0163		
14 CHECK APPROPRIATE BOX FOR EACH AT								
5 a. Exhibit A, Origin and Breeding History	y of the Variety (See	e Section 52 of the	Plant Variety Pro	otectio	n Act.)			
b. Exhibit B, Novelty Statement.	wister (Basesat form	· from Dlant Wariot	v Protection Offi	ce. l		.*		
c. X Exhibit C, Objective Description of Va		i jiom Funi vanci	y 11010111011 Oggi	,		•		
c X Exhibit E. Statement of the Basis of A	pplicant's Ownershi	ip.						
15. DOES THE APPLICANT(S) SPECIFY THAT S SEED? (See Section 83(a) of the Plant Variety	EED OF THIS VAR	IETY BE SOLD BY	VARIETY NAM (If "Yes," answer	E ONL items	Y AS A CLAS	SS OF CERTIFIED DWI X No		
16. DOES THE APPLICANT(S) SPECIFY THAT T		17. IF "YES	TO ITEM 16, V	WHICH	CLASSES OF	FPRODUCTION		
Yes X No		Four	dation		Registered	Certified		
18. DID THE APPLICANT(S) PREVIOUSLY FI	LE FOR PROTECT	ION OF THE VA	RIETY IN THE U	.s.?		Yes (If "Yes," give date)		
		ODMARKETER	INTUE HE OF	ОТН	<u> </u>			
19. HAS THE VARIETY BEEN RELEASED, OF	FERED FOR SALE	, UR MARKETEL	IN THE U.S. UF	. 010		Yes (If "Yes," give name of countries and dates)		
		•			gs - 41	· 计图像数据数据		
			111 1 . 6 1	1:.1				
20. The applicant(s) declare(s) that a viable sometime plenished upon request in accordance with	h such regulations	as may be applic	able.		**			
The undersigned applicant(s) is (are) the distinct, uniform, and stable as required it Variety Protection Act.	nuner(s) of this se	xually reproduce	d novel plant va	riety, ie pro	and believe(visions of Se	s) that the variety is ction 42 of the Plant		
Applicant(s) is (are) informed that false re	epresentation here	ein can jeopardize	protection and	resul	t in penalties			
SIGNATION OF APPLICANT	10				DATE			
Man and State of the same	Mestas		,		6-4	-83		
SIGNATURE OF APPLICANT			······································	-	DATE	5 (1)		
						AND FE		

'DSR-317'

Dairyland Seed Co., Inc.

Exhibit A: Origin and Breeding History of Cultivar

1. 'DSR-317' is a soybean cultivar derived from a cross of 'Williams' x an unknown cultivar by the pedigree method of breeding.

2.	Generation	Step
	FOF1	Hand Cross F, Increase
	\mathbf{F}_{2}^{\perp}	Selection
· · · · · · · · · · · · · · · · · · ·	F_2	Selection
	$\mathbf{F}_{\Lambda}^{\mathbf{J}}$	Selection
	F ⁵	Increase
•	F ₆	Yield Test
	F ₇	Yield Test-Increase
	F _Q	Yield Test-Increase
	F.	Yield Test-Increase

'DSR-317'

Dairyland Seed Company, Inc.

Exhibit A - Origin and Breeding History of the Variety

1. Statement on Uniformity - Variant Levels
'DSR-317' is a uniform and stable soybean cultivar with commercially acceptable and predictable variant levels as follows:

for flower color, up to 0.1% purple

for pubescence color, up to 0.2% gray

for hilum color, up to 0.31% non-black consisting of gray, brown and buff

for height, up to 0.14% talls (6-8" taller)

2. Statement on Stability - Generations of Reproduction

The following seed reproduction procedure should be used for 'DSR-317' to maintain its stability.

Each year or every other year, breeder seed will be produced from breeder seed of the previous generation. Each seed will be hand picked for uniformity, and the field rogued for any off-types.

Depending on the certifying state, foundation seed will be produced from this breeder seed for two generations in a foundation seed - recurrent foundation seed system or one year for each class in a foundation seed - registered seed system.

Certified seed will be but one generation.

5 33.4

'DSR-317'

Dairyland Seed Co., Inc.

Exhibit B: Novelty Statement

'DSR-317' is most similar to the cultivar 'DSR-232' in overall appearance but differs in several characters. 'DSR-317' has black hilum color, tawny pubescence, and white flowers; while 'DSR-232' has imperfect black-buff hilum, gray pubescence, and purple flowers. The table below lists these differences:

<u>Cultivar</u>	Hilum Color	Pubescence Color	Flower Color
'DSR-317'	Black	Tawny	White
'DSR-232'	Imperfect Black	Gray	Purple

FORM APPROVED: OMB NO. 0581-0055

U.S. DEPARTMENT OF AGRICULTURE AGRICULTURAL MARKETING SERVICE LIVESTOCK, MEAT, GRAIN & SEED DIVISION PLANT VARIETY PROTECTION OFFICE BELTSVILLE, MARYLAND 20705

EXHIBIT C (Soybean)

Page 1 of 4

Revised 7 August 1985

OBJECTIVE DESCRIPTION OF VARIETY SOYBEAN (Glycine max L.)

NAME OF APPLICANT(S)	TEMPORARY DESIGNATION	VARIETY NAME
Dairyland Seed Co., Inc.	27348	DSR-317
ADDRESS (Street and No., or R.F.D. No., City, State, and Zip (Code)	FOR OFFICIAL USE ONLY
P. O. Box 958 West Bend, WI 53095		8506211
Choose the appropriate response which characterizes the in your answer is fewer than the number of boxes provide	variety in the features described ed, place a zero in the first box w	below. When the number of significant digits then number is 9 or less (e.g., 0 9).
1. SEED SHAPE:	<u>n</u>	
	w T	
1 = Spherical (L/W, L/T, and T/W ratios = < 1.2) 3 = Elongate (L/T ratio > 1.2; T/W = < 1.2)	2 = Spherical Flattened	(L/W ratio > 1.2; L/T ratio = < 1.2) (L/T ratio > 1.2; T/W > 1.2)
2. SEED COAT COLOR: (Mature Seed)		
1 1 = Yellow 2 = Green 3 = Brown	4 = Black 5 = Other	(Specify)
3. SEED COAT LUSTER: (Mature Hand Shelled Seed)		
1 = Dull ('Corsoy 79'; 'Braxton') 2 = Shiny ('Ne	bsoy'; 'Gasoy 17')	
4. SEED SIZE: (Mature Seed)		
1 7 Grams per 100 seeds		
5. HILUM COLOR: (Mature Seed)		
6 1 = Buff 2 = Yellow 3 = Brown	4 = Gray 5 = Imperfect Bla	6 = Black 7 = Other (Specify)
6. COTYLEDON COLOR: (Mature Seed)		
1 = Yellow 2 = Green		
7. SEED PROTEIN PEROXIDASE ACTIVITY:		
1 = Low 2 = High		
8. SEED PROTEIN ELECTROPHORETIC BAND:		
1 = Type A (SP1 ^a) 2 = Type B (SP1 ^b)		
9. HYPOCOTYL COLOR:		
1 = Green only ('Evans'; 'Davis') 2 = Green w 3 = Light Purple below cotyledons ('Beeson'; 'Pickett 71 4 = Dark Purple extending to unifoliate leaves ('Hodgsor		Woodworth'; 'Tracy')
0. LEAFLET SHAPE:		
3 = Ovat	te 4 = Other (Specify)	

FORM LMGS-470-57 (2-82)

11. LEAF	ET SIZE:				
2	1 = Small ('Amsoy 71'; 'A5312') 3 = Large ('Crawford'; 'Tracy')	2 = Medium ('Corsoy	79'; 'Gasoy 17')		
12. LEAF	COLOR:				
3	1 = Light Green ('Weber'; 'York') 3 = Dark Green ('Gnome'; 'Tracy')	2 = Medium Green (*	Corsoy 79'; 'Braxton'	')	
13. FLOW	ER COLOR:	·			
1	1 = White 2 = Purple	3 = White with purple th	roat		
14. POD C	OLOR:				
1	1 = Tan 2 = Brown	3 = Black	·	I.	
15. PLANT	PUBESCENCE COLOR:			1	
2	1 = Gray 2 = Brown (Tawny)				
16. PLANT	TYPES:	-			
2	1 = Slender ('Essex'; 'Amsoy 71') 3 = Bushy ('Gnome'; 'Govan')	2 = Intermediate ('Ar	ncor'; 'Braxton')		
17. PLANT	HABIT:				
3	1 = Determinate ('Gnome'; 'Braxton') 3 = Indeterminate ('Nebsoy'; 'Improved Pe	2 = Semi-Determinate lican')	• ('Will')		
18. MATU	RITY GROUP:				
0 6	1 = 000 2 = 00 3 = 0 9 = VI 10 = VII 11 = VII	4 = I 5 = II I 12 = IX 13 = X	6 = III	7 = IV . 8 =	V
19. DISEAS	SE REACTION: (Enter 0 = Not Tested; 1 =	Susceptible; 2 = Resistant)			
	ERIAL DISEASES:				•
	Bacterial Pustule (Xanthomonas phaseoli v	or colonois!		*.	
		31 . 30junata)			
	Bacterial Blight (Pseudomonas glycinea)				
	Wildfire (Pseudomonas tabaci)		*.		
FUNGA	L DISEASES:				
	Brown Spot (Septoria glycines)				
	Frogeye Leaf Spot (Cercospora sojina)	<u></u>			
	Race 1 0 Race 2 0 Ra	ace 3 0 Race 4	0 Race 5	Other (Specif	<i>i)</i> -
0	Target Spot (Corynespora cassiicola)				
0	Downy Mildew (Peronospora trifoliorum va	r. manshurica)			
0	Powdery Mildew (Microsphaera diffusa)				
	Brown Stem Rot (Cephalosporium gregatur	n)			
Ī	Stem Canker (Diaporthe phaseolorum var. o	aulivora)	÷ .		,

19. DISEA	SE REACTIO	ON: (Enter 0 = Not	Tested; 1 = Suscept	tible; 2 =	Resistant) (C	Continued	1)					
FUN	IGAL DISEAS	SES: (Continued)										
0	Pod and Sto	em Blight <i>(Diaporth</i>	<i>e phaseolorum</i> var;	sojae)							: · ·	
0	Purple Seed	l Stain <i>(Cercospora l</i>	kikuchii)				•		e En			.3
0	Rhizoctonia	a Root Rot (Rhizoci	tonia solani)									
	Phytophtho	ora Rot (Phytophtho	ora megasperma var	. sojae)							٠.	
1	Race 1	0 Race 2	1 Race 3	0	Race 4	0	Race 5	0	Race 6	0	Race 7	
0	Race 8	0 Race 9	Other (Sp	ecify)				·		,		· · · · · · · · · · · · · · · · · · ·
VIRA	AL DISEASES	S:										
0	Bud Blight (Tobacco Ringspot \	√irus)									V.*
0	Yellow Mos	aic (Bean Yellow Mo	osaic Virus)				•					
0	Cowpea Mos	saic (Cowpea Chloro	otic Virus)		-							
0	Pod Mottle (Bean Pod Mottle Vi	irus)									
0	Seed Mottle	(Soybean Mosaic Vi	irus)									
NEMA	ATODE DISE	ASES:										
	Soybean Cys	t Nematode (Hetero	odera glycines)									
0	Race 1	0 Race 2	0 Race 3	0	Race 4		Other <i>(Spe</i>	cify)				
0	Lance Nema	tode (Hopiolaimus C	Colombus)								.,	
0	Southern Ro	ot Knot Nematode ((Meloidogyne incog	nita)	-							
0	Northern Ro	ot Knot Nematode ((Meloidogyne Hapla	a)						-		
	Peanut Root	Knot Nematode (M	eloidogyne arenaria)								
	Reniform Ne	matode <i>(Rotylench</i> u	ulus reniformis)									
	OTHER DISE	ASE NOT ON FOR	RM (Specify):	······································			· -			<u>.</u>		
D. PHYSIOL	OGICAL RE	SPONSES: (Enter (0 = Not Tested; 1 =	Suscept	ible; 2 = Resis	stant)						
	Iron Chlorosis	on Calcareous Soil										
	Other <i>(Specif</i>)	y)	· · · · · · · · · · · · · · · · · · ·									
. INSECT R	REACTION:	(Enter 0 = Not Test	ted; 1 = Susceptible	; 2 = Res	istant)		· .					
	Mexican Bean	Beetle (Epilachna v	arivestis)									
O P	otato Leaf H	opper <i>(Empoasca fa</i>	ıbae)									
	Other (Specify	/			···							
INDICATE	E WHICH VA	RIETY MOST CLO	SELY RESEMBLE	S THAT	SUBMITTE	D.						
CHARA	CTER	NAME	OF VARIETY		CHAR	ACTER			NAME OF	VARIE	ΓY	
Plant Shape	e				Seed Coa	t Luster						
Leaf Shape					Seed Size	<u> </u>						
Leaf Color				<u></u>	Seed Sha	-		·	 			
Leaf Size					Seedling	Pigmenta	tion					-
			100				1		2			7

FORM LMGS-470-57 (2-82)

23. GIVE DATA FOR SUBMITTED AND SIMILAR STANDARD VARIETY: Paired Comparison Data

VARIETY	NO. OF DAYS	•	 LEAFLET SIZE		SEED CON	TENT	SEED SIZE G/100	NO. SEEDS/
	MATURITY CODE REIGHT	CM Length	% Protein	% Oil	SEEDS	POD		
Submitted								-
Name of Similar Variety								

PUBLICATIONS USEFUL AS REFERENCE AIDS FOR COMPLETING THIS FORM:

- 1. Caldwell, B.E., ed. 1973. Soybeans: Improvement, Production, and Uses. Amer. Soc. Agron. Monograph No. 16.
- 2. Buttery, B.R. and R.I. Buzzell. 1968. Peroxidase activity in seeds of soybean varieties. Crop Sci., 8: 722-725.
- 3. Hymowitz, T. 1973. Electrophoretic analysis of SBTI-A2 in the USDA soybean germplasm collection. Crop Sci., 13: 420-421.
- 4. Payne, R.C. and L.F. Morris. 1976. Differentiation of soybean cultivars by seedling pigmentation patterns. J. Seed Technol. 1: 1-19.

BECEINED

SEP 16 1985



AMS

PVP0



DAIRYLAND SEED CO., INC.

P.O. Box 958, West Bend, WI 53095 3570 Hwy. H 414-338-0163

DEPENDABLE SEED SINCE 1907



September 11, 1985

EXHIBIT E

Let this document serve as official notice that Dairyland Seed Co., Inc., P.O. Box 958, West Bend, Wisconsin 53095 is the owner of the soybean variety DSR-317. All ownership and marketing rights of DSR-317 belong to Dairyland Seed Co., Inc.



DAIRYLAND SEED CO., INC.

P.O. Box 958, West Bend, WI 53095

3570 Hwy. H 414-338-0163





October 28, 1986

8500211

PLANT VARIETY PROTECTION APPLICATION

EXHIBIT E

DSR-317 was originated and developed by the plant breeding team of Dr. Paul Sun, Dr. Bill Campbell, and Mr. Hunt Wiley. By agreement between these employees and Dairyland Seed Co., Inc., all rights to any invention, discovery, or development made by an employee are assigned to Dairyland Seed Co., Inc. No rights to such invention, discovery, or development are retained by the employees.